

WHAT IS CLAIMED IS:

1 1. A process for preparing a molecularly imprinted polymer for detecting a target
2 analyte comprising the steps of:

3 (a) providing a complex comprising a compound of the general formula L_3M
4 wherein L is the same or different and is a β -diketone ligand containing the same or
5 different chain transfer moiety and M is a lanthanide element;

6 (b) reacting the complex with a target analyte to provide an adduct containing the
7 target analyte;

8 (c) co-polymerizing the adduct with a monomer and cross-linking agent to provide
9 a polymer; and,

10 (d) removing the target analyte from the polymer to provide the molecularly
11 imprinted polymer.

1 2. The process of claim 1, wherein the lanthanide element M is europium.

1 3. The process of claim 1, wherein the ligands L_3 are each the same ligand.

1 4. The process of claim 1, where in two ligands of L_3 are the same and the third
2 ligand is different.

1 5. The process of claim 1, wherein the β -diketone ligands have the structure:



3 wherein R^1 is a hydrocarbon group having 1 to about 20 carbons containing a chain
4 transfer moiety; R^2 can be the same or different and is hydrogen or a hydrocarbon group
5 having from 1 to about 12 carbon atoms and R^3 is a straight or branched chain alkyl group
6 of 1 to about 12 carbon atoms optionally containing one or more halogen atoms.

1 6. The process of claim 5, wherein R^3 is an alkyl halide.

1 7. The process of claim 6, wherein the alkyl halide is $-CF_3$.

1 8. The process of claim 1, wherein the chain transfer moiety is selected from the
2 group consisting of dithiocarboxylic ester, trithiocarbonate and benzyl iodide.

1 9. The process of claim 1, wherein the dithiocarboxylic ester is of the general
2 formula -S-C(S)R wherein R is a hydrocarbon group having from 1 to about 20 carbon.


1 10. The process of claim 1, wherein the analyte is an organophosphorus
2 compound.

1 11. The process of claim 10, wherein the organophosphorus compound has the
2 formula $(R^5)(R^6)(R^7)P=O$, wherein R^5 , R^6 and R^7 can be the same or different and are
3 individually selected from inorganic or organic groups, provided that at least one group is
4 organic.

1 12. The process of claim 11, wherein the inorganic groups are selected from the
2 group consisting of H, -OH, F, Cl, Br, I, -CN and -NO₂, and the organic groups are
3 substituted or unsubstituted aliphatic or aromatic groups with or without heteroatoms.

1 13. The process of claim 10, wherein the organophosphorus compound is selected
2 from the group consisting of dimethyl hydrogen phosphate and pinacolyl methyl
3 phosphonate.

1 14. The process of claim 1, wherein each ligand L is a fluorinated β -diketone
2 having the structure:



3
4 wherein R^1 is a hydrocarbon group which includes as the chain transfer moiety a moiety
5 selected from the group consisting of dithiocarboxylic ester, trithiocarbonate and benzyl
6 iodide.

1 15. The process of claim 1, wherein the crosslinking agent is selected from the
2 group consisting of difunctional acrylates, difunctional methacrylates, trifunctional
3 acrylates, trifunctional methacrylates, tetrafunctional acrylates, tetrafunctional
4 methacrylates, divinylbenzene, alkylene glycol diacrylates, alkylene glycol methacrylates,
5 polyalkylene glycol diacrylates, polyalkylene glycol methacrylates,, vinyl acrylates, vinyl
6 methacrylates, allyl acrylates, allyl methacrylates, divinylbenzene, diallyldiglycol
7 dicarbonate, diallyl maleate, diallyl fumarate, diallyl itaconate, divinyl oxalate, divinyl
8 malonate, diallyl succinate, triallyl isocyanurate, bis-phenol A dimethacrylate, bis-phenol
9 A diacrylate, ethoxylated bis-phenol A dimethacrylate, ethoxylated bis-phenol A
10 diacrylate, methylene bisacrylamide, methylene bismethylacrylamide, polymethylene
11 bisacrylamide, polymethylene bismethacrylamide, di(alkene) tertiary amines, trimethylol
12 propane triacrylate, pentaerythritol tetraacrylate, divinyl ether, divinyl sulfone, diallyl
13 phthalate, triallyl melamine, 2-isocyanatoethyl methacrylate, 2-isocyanatoethylacrylate, 3-
14 isocyanatopropylacrylate, 1-methyl-2-isocyanatoethyl methacrylate, 1,1- dimethyl-2-
15 isocyanatoethyl acrylate, tetraethylene glycol diacrylate, tetraethylene glycol
16 dimethacrylate, triethylene glycol diacrylate, triethylene glycol dimethacrylate, hexanediol
17 dimethacrylate, hexanediol diacrylate, divinyl benzene; 1,3-divinyltetramethyl disiloxane;
18 8,13-divinyl-3,7,12,17-tetramethyl-21H,23H-porphine; 8,13-divinyl-3,7,12,17-
19 tetramethyl-21H,23H-propionic acid; 8,13-divinyl-3,7,12,17-tetramethyl-21H,23H-
20 propionic acid disodium salt; 3,9-divinyl-2,4,8,10-tetraoraspiro[5,5]undecane; divinyl tin
21 dichloride and mixtures.

1 16. The process of claim 1, wherein the co-polymerization step (c) is performed in
2 the presence of an initiator.

1 17. The process of claim 16, wherein the initiator is selected from the group
2 consisting of benzoyl peroxide, acetyl peroxide, lauryl peroxide, azobisisobutyronitrile, t-
3 butyl peracetate, cumyl peroxide, t-butyl peroxide; t-butyl hydroperoxide,
4 bis(isopropyl)peroxy-dicarbonate, benzoin methyl ether, 2,2'-azobis(2,4-
5 dimethylvaleronitrile), tertiarybutyl peroctoate, phthalic peroxide, diethoxyacetophenone,
6 and tertiarybutyl peroxy-pivalate, diethoxyacetophenone, 1-hydroxycyclohexyl phenyl

ketone, 2,2-dimethoxy-2-phenylacetophenone, phenothiazine, diisopropylxanthogen disulfide, 2,2'-azobis-(2-amidinopropane), 4,4'-azobis-(4-cyanovaleric acid), 1,1'-azobis-(cyclohexanecarbonitrile)-, and mixtures thereof.

18. The process of claim 1, wherein the step of removing the target analyte comprises washing the polymer with a solution capable of leaching the analyte.

19. The process of claim 18, wherein the leaching solution includes a compound selected from the group consisting of acetone, isopropanol, methanol, N,N-dimethylformamide, dimethyl sulfoxide, N-methylpyrrolidinone, and mixtures thereof.

20. The process of claim 1, wherein the copolymerization step (c) is performed neat or in a solvent.

21. The process of claim 1, wherein the monomer is selected from the group consisting of acrylic acid, methacrylic acid, alkyl methacrylates, alkyl acrylates, allyl acrylates, allyl methacrylates, aryl acrylates, aryl methacrylates, cyanoacrylate, styrene, -methyl styrene, vinyl acetate, vinyl chloride, methyl vinyl ketone, vinylidene chloride, acrylamide, methacrylamide, acrylonitrile, methacrylonitrile, 2-acetamido acrylic acid; 2-(acetoxycetoxy)ethyl methacrylate 1-acetoxy-1,3-butadiene; 2-acetoxy-3-butenenitrile; 4-acetoxystyrene; acrolein; acrolein diethyl acetal; acrolein dimethyl acetal; acrylamide; 2-acrylamidoglycolic acid; 2-acrylamido-2-methyl propane sulfonic acid; acrylic acid; acrylic anhydride; acrylonitrile; acryloyl chloride; (R)-acryloxy-, -dimethyl-g-butyrolactone; N-acryloxy succinimide -acryloxytris(hydroxymethyl) aminomethane; N-acryloyl chloride; N-acryloyl pyrrolidinone; N-acryloyl-tris(hydroxymethyl)amino methane; 2-amino ethyl methacrylate; N-(3-aminopropyl)methacrylamide; (o, m, or p)-amino-styrene; t-amyl methacrylate; 2-(1-aziridinyl)ethyl methacrylate; 4-benzyloxy-3-methoxystyrene; 2-bromoacrylic acid; 4-bromo-1-butene; 3-bromo-3,3-difluoropropane; 6-bromo-1-hexene; 3-bromo-2-methacrylonitrile; 2-(bromomethyl)acrylic acid; 8-bromo-1-octene; 5-bromo-1-pentene; cis-1-bromo-1-propene; -bromostyrene; p-bromostyrene; bromotrifluoro ethylene; (\pm)-3-buten-2-ol; 1,3-butadiene; 1,3-butadiene-1,4-dicarboxylic

18 acid 3-butenal diethyl acetal; 1-butene; 3-buten-2-ol; 3-butenyl chloroformate; 2-
19 butylacrolein; -t-butylacrylamide; butyl acrylate; butyl methacrylate; (o,m,p)-
20 bromostyrene; t-butyl acrylate; (R)-carvone; (S)-carvone; (-)-carvyl acetate; cis 3-
21 chloroacrylic acid; 2-chloroacrylonitrile; 2-chloroethyl vinyl ether; 2-chloromethyl-3-
22 trimethylsilyl-1-propene; 3-chloro-1-butene; 3-chloro-2-chloromethyl-1-propene; 3-
23 chloro-2-methyl propene; 2,2-bis(4-chlorophenyl)-1,1-dichloroethylene; 3-chloro-1-
24 phenyl-1-propene; m-chlorostyrene; o-chlorostyrene; p-chlorostyrene; 1-cyanovinyl
25 acetate; 1-cyclopropyl-1-(trimethylsiloxy)ethylene; 2,3-dichloro-1-propene; 2,6-
26 dichlorostyrene; 1,3-dichloropropene; 2,4-diethyl-2,6-heptadienal; 1,9-decadiene; 1-
27 decene; 1,2-dibromoethylene; 1,1-dichloro-2,2-difluoroethylene; 1,1- dichloropropene;
28 2,6-difluorostyrene; dihydrocarveol; (\pm)-dihydrocarvone; (-)-dihydrocarvyl acetate; 3,3-
29 dimethylacrylaldehyde; N,N'-dimethylacrylamide; 3,3-dimethylacrylic acid; 3,3-
30 dimethylacryloyl chloride; 2,3-dimethyl-1-butene; 3,3-dimethyl-1-butene; 2-dimethyl
31 aminoethyl methacrylate; 2,4-dimethyl-2,6-heptadien-1-ol; 2,4-dimethyl-2,6-heptadienal;
32 2,5-dimethyl-1,5-hexadiene; 2,4-dimethyl-1,3-pentadiene; 2,2-dimethyl-4-pentenal; 2,4-
33 dimethylstyrene; 2,5-dimethylstyrene; 3,4-dimethylstyrene; 1-dodecene; 3,4-epoxy-1-
34 butene; 2-ethyl acrolein; ethyl acrylate; 2-ethyl-1-butene; (\pm)-2-ethylhexyl acrylate; (\pm)-2-
35 ethylhexyl methacrylate; 2-ethyl-2-(hydroxymethyl)-1,3-propanediol triacrylate; 2-ethyl-
36 2-(hydroxymethyl)-1,3-propanediol trimethacrylate; ethyl methacrylate; ethyl vinyl ether;
37 ethyl vinyl ketone; ethyl vinyl sulfone; (1-ethylvinyl)tributyl tin; m-fluorostyrene; o-
38 fluorostyrene; p-fluorostyrene; glycol methacrylate (hydroxyethyl methacrylate); GA
39 GMA; 1,6-heptadiene; 1,6-heptadienoic acid; 1,6-heptadien-4-ol; 1-heptene; 1-hexen-3-ol;
40 1-hexene; hexafluoropropene; 1,6-hexanediol diacrylate; 1-hexadecene; 1,5-hexadien-3,4-
41 diol; 1,4-hexadiene; 1,5-hexadien-3-ol; 1,3,5-hexatriene; 5-hexen-1,2-diol; 5-hexen-1-ol;
42 hydroxypropyl acrylate; 3-hydroxy-3,7,11-trimethyl-1,6,10-dodecatriene; isoamyl
43 methacrylate; isobutyl methacrylate; isoprene; 2-isopropenylaniline; isopropenyl
44 chloroformate; 4,4'-isopropylidene dimethacrylate; 3-isopropyl-a-a-dimethylbenzene
45 isocyanate; isopulegol; itaconic acid; itaconalyl chloride; (\pm)-linalool; linalyl acetate; p-
46 mentha-1,8-diene; p-mentha-6,8-dien-2-ol; methyleneamino acetonitrile; methacrolein; [3-
47 (methacryloylamino)-propyl]trimethylammonium chloride; methacrylamide; methacrylic
48 acid; methacrylic anhydride; methacrylonitrile; methacryloyl chloride; 2-

(methacryloyloxy)ethyl acetoacetate; (3-methacryloxypropyl) trimethoxy silane; 2-(methacryloxy)ethyl trimethyl ammonium methylsulfate; 2-methoxy propene (isopropenyl methyl ether); methyl-2-(bromomethyl)acrylate; 5-methyl-5-hexen-2-one; methyl methacrylate; N,N'-methylene bisacrylamide; 2-methylene glutaronitrite; 2-methylene-1,3-propanediol; 3-methyl-1,2-butadiene; 2-methyl-1-butene; 3-methyl-1-butene; 3-methyl-1-buten-1-ol; 2-methyl-1-buten-3-yne; 2-methyl-1,5-heptadiene; 2-methyl-1-heptene; 2-methyl-1-hexene; 3-methyl-1,3-pentadiene; 2-methyl-1,4-pentadiene; (\pm)-3-methyl-1-pentene; (\pm)-4-methyl-1-pentene; (\pm)-3-methyl-1-penten-3-ol; 2-methyl-1-pentene; -methyl styrene; *t*-methylstyrene; *t*-methylstyrene; 3-methylstyrene; methyl vinyl ether; methyl vinyl ketone; methyl-2-vinyloxirane; 4-methylstyrene; methyl vinyl sulfone; 4-methyl-5-vinylthiazole; myrcene; *t*-nitrostyrene; 3-nitrostyrene; 1-nonadecene; 1,8-nonadiene; 1-octadecene; 1,7-octadiene; 7-octene-1,2-diol; 1-octene; 1-octen-3-ol; 1-pentadecene; 1-pentene; 1-penten-3-ol; *t*-2,4-pentenoic acid; 1,3-pentadiene; 1,4-pentadiene; 1,4-pentadien-3-ol; 4-penten-1-ol; 4-penten-2-ol; 4-phenyl-1-butene; phenyl vinyl sulfide; phenyl vinyl sulfonate; 2-propene-1-sulfonic acid sodium salt; phenyl vinyl sulfoxide; 1-phenyl-1-(trimethylsiloxy)ethylene; propene; safrole; styrene (vinyl benzene); 4-styrene sulfonic acid sodium salt; styrene sulfonyl chloride; 3-sulfopropyl acrylate potassium salt; 3-sulfopropyl methacrylate sodium salt; tetrachloroethylene; tetracyano ethylene; trans 3-chloroacrylic acid; 2-trifluoromethyl propene; 2-(trifluoromethyl)propenoic acid; 2,4,4'-trimethyl-1-pentene; 3,5-bis(trifluoromethyl)styrene; 2,3-bis(trimethylsiloxy)-1,3-butadiene; 1-undecene; vinyl acetate; vinyl acetic acid; 4-vinyl anisole; 9-vinyl anthracene; vinyl behenate; vinyl benzoate; vinyl benzyl acetate; vinyl benzyl alcohol; 3-vinyl benzyl chloride; 3-(vinyl benzyl)-2-chloroethyl sulfone; 4-(vinyl benzyl)-2-chloroethyl sulfone; N-(*p*-vinyl benzyl)-N,N'-dimethyl amine; 4-vinyl biphenyl (4-phenyl styrene); vinyl bromide; 2-vinyl butane; vinyl butyl ether; 9-vinyl carbazole; vinyl carbinol; vinyl cetyl ether; vinyl chloroacetate; vinyl chloroformate; vinyl crotonate; vinyl cyclohexane; 4-vinyl-1-cyclohexene; 4-vinylcyclohexene dioxide; vinyl cyclopentene; vinyl dimethylchlorosilane; vinyl dimethylethoxysilane; vinyl diphenylphosphine; vinyl 2-ethyl hexanoate; vinyl 2-ethylhexyl ether; vinyl ether ketone; vinyl ethylene; vinyl ethylene iron tricarbonyl; vinyl ferrocene; vinyl formate; vinyl hexadecyl ether; vinylidene fluoride; 1-vinyl

80 imidazole; vinyl iodide; vinyl laurate; vinyl magnesium bromide; vinyl mesitylene; vinyl
 81 2-methoxy ethyl ether; vinyl methyl dichlorosilane; vinyl methyl ether; vinyl methyl
 82 ketone; 2-vinyl naphthalene; 5-vinyl-2-norbornene; vinyl pelargonate; vinyl phenyl
 83 acetate; vinyl phosphonic acid, bis(2-chloroethyl)ester; vinyl propionate; 4-vinyl pyridine;
 84 2-vinyl pyridine; 1-vinyl-2-pyrrolidinone; 2-vinyl quinoline; 1-vinyl silatrane; vinyl
 85 sulfone; vinyl sulfonic acid sodium salt; o-vinyl toluene; p-vinyl toluene; vinyl
 86 triacetoxysilane; vinyl tributyl tin; vinyl trichloride; vinyl trichlorosilane; vinyl
 87 trichlorosilane (trichlorovinylsilane); vinyl triethoxysilane; vinyl triethylsilane; vinyl
 88 trifluoroacetate; vinyl trimethoxy silane; vinyl trimethyl nonylether; vinyl trimethyl silane;
 89 vinyl triphenylphosphonium bromide (triphenyl vinyl phosphonium bromide); vinyl tris-(2-
 90 methoxyethoxy) silane, vinyl 2-valerate, 1-(3-butenyl)-4-vinylbenzene and mixtures
 91 thereof.

1 22. The process of claim 1, wherein the polymer is a block copolymer.

1 23. A polymer comprising the reaction product of (a) a complex comprising a
 2 compound of the general formula L_3M wherein L is the same or different and is a β -
 3 diketone ligand containing the same or different chain transfer moiety and M is a
 4 lanthanide element, the complex being capable of binding an analyte to be detected; (b) a
 5 monomer; and (c) optional crosslinking agent, wherein said polymer undergoes a
 6 detectable luminescence change upon exposure to the analyte to be detected.

1 24. The polymer of claim 23, wherein the β -diketone ligands have the structure:



3 wherein R^1 is a hydrocarbon group having 1 to about 20 carbons containing a chain
 4 transfer moiety; R^2 can be the same or different and is hydrogen or a hydrocarbon group
 5 having from 1 to about 12 carbon atoms and R^3 is a straight or branched chain alkyl group
 6 of 1 to about 12 carbon atoms optionally containing one or more halogen atoms.

1 25. The polymer of claim 24, wherein R^3 is an alkyl halide.

1 26. The polymer of claim 25, wherein the alkyl halide is $-\text{CF}_3$.


1 27. The polymer of claim 23, wherein the chain transfer moiety is selected from
2 the group consisting of dithiocarboxylic ester, trithiocarbonate and benzyl iodide.

1 28. The polymer of claim 23, wherein the lanthanide element M is europium and
2 the chain transfer moiety is a dithiocarboxylic ester of the general formula $-\text{S}-\text{C}(\text{S})\text{R}$
3 wherein R is a hydrocarbon group having from 1 to about 20 carbon.

1 29. The polymer of claim 23, wherein the analyte is an organophosphorus
2 compound.

1 30. The polymer of claim 29, wherein the organophosphorus compound is selected
2 from the group consisting of dimethyl hydrogen phosphate and pinacolyl methyl
3 phosphonate.

1 31. The polymer of claim 23, wherein each ligand L is a fluorinated β -diketone
2 having the structure:



3
4 wherein R^1 is a hydrocarbon group which includes as the chain transfer moiety a
5 dithiocarboxylic ester and the lanthanide element M is europium.

1 32. The polymer of claim 23, wherein monomer is selected from the group
2 consisting of acrylic acid, methacrylic acid, alkyl methacrylates, alkyl acrylates, allyl
3 acrylates, allyl methacrylates, aryl acrylates, aryl methacrylates, cyanoacrylate, styrene,
4 -methyl styrene, vinyl acetate, vinyl chloride, methyl vinyl ketone, vinylidene chloride,
5 acrylamide, methacrylamide, acrylonitrile, methacrylonitrile, 2-acetamido acrylic acid; 2-
6 (acetoxycetoxy)ethyl methacrylate 1-acetoxy-1,3-butadiene; 2-acetoxy-3-butenenitrile; 4-
7 acetoxystyrene; acrolein; acrolein diethyl acetal; acrolein dimethyl acetal; acrylamide; 2-
8 acrylamidoglycolic acid; 2-acrylamido-2-methyl propane sulfonic acid; acrylic acid;
9 acrylic anhydride; acrylonitrile; acryloyl chloride; (R)--acryloxy-, '-dimethyl-g-

10 butyrolactone; N-acryloxy succinimide –acryloxytris(hydroxymethyl) aminomethane; N-
11 acryloyl chloride; N-acryloyl pyrrolidinone; N-acryloyl-tris(hydroxymethyl)amino
12 methane; 2-amino ethyl methacrylate; N-(3-aminopropyl)methacrylamide; (o, m, or
13 p)-amino-styrene; t-amyl methacrylate; 2-(1-aziridinyl)ethyl methacrylate; 4-benzyloxy-3-
14 methoxystyrene; 2-bromoacrylic acid; 4-bromo-1-butene; 3-bromo-3,3-difluoropropane;
15 6-bromo-1-hexene; 3-bromo-2-methacrylonitrile; 2-(bromomethyl)acrylic acid; 8-bromo-
16 1-octene; 5-bromo-1-pentene; cis-1-bromo-1-propene; -bromostyrene; p-bromostyrene;
17 bromotrifluoro ethylene; (\pm)-3-buten-2-ol; 1,3-butadiene; 1,3-butadiene-1,4-dicarboxylic
18 acid 3-butenal diethyl acetal; 1-butene; 3-buten-2-ol; 3-butenyl chloroformate; 2-
19 butylacrolein; –t-butylacrylamide; butyl acrylate; butyl methacrylate; (o,m,p)-
20 bromostyrene; t-butyl acrylate; (R)-carvone; (S)-carvone; (-)-carvyl acetate; cis 3-
21 chloroacrylic acid; 2-chloroacrylonitrile; 2-chloroethyl vinyl ether; 2-chloromethyl-3-
22 trimethylsilyl-1-propene; 3-chloro-1-butene; 3-chloro-2-chloromethyl-1-propene; 3-
23 chloro-2-methyl propene; 2,2-bis(4-chlorophenyl)-1,1-dichloroethylene; 3-chloro-1-
24 phenyl-1-propene; m-chlorostyrene; o-chlorostyrene; p-chlorostyrene; 1-cyanovinyl
25 acetate; 1-cyclopropyl-1-(trimethylsiloxy)ethylene; 2,3-dichloro-1-propene; 2,6-
26 dichlorostyrene; 1,3-dichloropropene; 2,4-diethyl-2,6-heptadienal; 1,9-decadiene; 1-
27 decene; 1,2-dibromoethylene; 1,1-dichloro-2,2-difluoroethylene; 1,1- dichloropropene;
28 2,6-difluorostyrene; dihydrocarveol; (\pm)-dihydrocarvone; (-)-dihydrocarvyl acetate; 3,3-
29 dimethylacrylaldehyde; N,N'-dimethylacrylamide; 3,3-dimethylacrylic acid; 3,3-
30 dimethylacryloyl chloride; 2,3-dimethyl-1-butene; 3,3-dimethyl-1-butene; 2-dimethyl
31 aminoethyl methacrylate; 2,4-dimethyl-2,6-heptadien-1-ol; 2,4-dimethyl-2,6-heptadienal;
32 2,5-dimethyl-1,5-hexadiene; 2,4-dimethyl-1,3-pentadiene; 2,2-dimethyl-4-pentenal; 2,4-
33 dimethylstyrene; 2,5-dimethylstyrene; 3,4-dimethylstyrene; 1-dodecene; 3,4-epoxy-1-
34 butene; 2-ethyl acrolein; ethyl acrylate; 2-ethyl-1-butene; (\pm)-2-ethylhexyl acrylate; (\pm)-2-
35 ethylhexyl methacrylate; 2-ethyl-2-(hydroxymethyl)-1,3-propanediol triacrylate; 2-ethyl-
36 2-(hydroxymethyl)-1,3-propanediol trimethacrylate; ethyl methacrylate; ethyl vinyl ether;
37 ethyl vinyl ketone; ethyl vinyl sulfone; (1-ethylvinyl)tributyl tin; m-fluorostyrene; o-
38 fluorostyrene; p-fluorostyrene; glycol methacrylate (hydroxyethyl methacrylate); GA
39 GMA; 1,6-heptadiene; 1,6-heptadienoic acid; 1,6-heptadien-4-ol; 1-heptene; 1-hexen-3-ol;
40 1-hexene; hexafluoropropene; 1,6-hexanediol diacrylate; 1-hexadecene; 1,5-hexadien-3,4-

41 diol; 1,4-hexadiene; 1,5-hexadien-3-ol; 1,3,5-hexatriene; 5-hexen-1,2-diol; 5-hexen-1-ol;
42 hydroxypropyl acrylate; 3-hydroxy-3,7,11-trimethyl-1,6,10-dodecatriene; isoamyl
43 methacrylate; isobutyl methacrylate; isoprene; 2-isopropenylaniline; isopropenyl
44 chloroformate; 4,4'-isopropylidene dimethacrylate; 3-isopropyl-a-a-dimethylbenzene
45 isocyanate; isopulegol; itaconic acid; itaconalyl chloride; (\pm)-linalool; linalyl acetate; p-
46 mentha-1,8-diene; p-mentha-6,8-dien-2-ol; methyleneamino acetonitrile; methacrolein; [3-
47 (methacryloylamino)-propyl]trimethylammonium chloride; methacrylamide; methacrylic
48 acid; methacrylic anhydride; methacrylonitrile; methacryloyl chloride; 2-
49 (methacryloyloxy)ethyl acetoacetate; (3-methacryloxypropyl) trimethoxy silane; 2-
50 (methacryloxy)ethyl trimethyl ammonium methylsulfate; 2-methoxy propene (isopropenyl
51 methyl ether); methyl-2-(bromomethyl)acrylate; 5-methyl-5-hexen-2-one; methyl
52 methacrylate; N,N'-methylene bisacrylamide; 2-methylene glutaronitrile; 2-methylene-1,3-
53 propanediol; 3-methyl-1,2-butadiene; 2-methyl-1-butene; 3-methyl-1-butene; 3-methyl-1-
54 buten-1-ol; 2-methyl-1-buten-3-yne; 2-methyl-1,5-heptadiene; 2-methyl-1-heptene; 2-
55 methyl-1-hexene; 3-methyl-1,3-pentadiene; 2-methyl-1,4-pentadiene; (\pm)-3-methyl-1-
56 pentene; (\pm)-4-methyl-1-pentene; (\pm)-3-methyl-1-penten-3-ol; 2-methyl-1-pentene; -
57 methyl styrene; \bar{t} -methylstyrene; \bar{t} -methylstyrene; 3-methylstyrene; methyl vinyl ether;
58 methyl vinyl ketone; methyl-2-vinyloxirane; 4-methylstyrene; methyl vinyl sulfone; 4-
59 methyl-5-vinylthiazole; myrcene; \bar{t} -nitrostyrene; 3-nitrostyrene; 1-nonadecene; 1,8-
60 nonadiene; 1-octadecene; 1,7-octadiene; 7-octene-1,2-diol; 1-octene; 1-octen-3-ol; 1-
61 pentadecene; 1-pentene; 1-penten-3-ol; t-2,4-pentenoic acid; 1,3-pentadiene;
62 1,4-pentadiene; 1,4-pentadien-3-ol; 4-penten-1-ol; 4-penten-2-ol; 4-phenyl-1-butene;
63 phenyl vinyl sulfide; phenyl vinyl sulfonate; 2-propene-1-sulfonic acid sodium salt;
64 phenyl vinyl sulfoxide; 1-phenyl-1-(trimethylsiloxy)ethylene; propene; safrole; styrene
65 (vinyl benzene); 4-styrene sulfonic acid sodium salt; styrene sulfonyl chloride;
66 3-sulfopropyl acrylate potassium salt; 3-sulfopropyl methacrylate sodium salt;
67 tetrachloroethylene; tetracyano ethylene; trans 3-chloroacrylic acid; 2-trifluoromethyl
68 propene; 2-(trifluoromethyl)propenoic acid; 2,4,4'-trimethyl-1-pentene; 3,5-
69 bis(trifluoromethyl)styrene; 2,3-bis(trimethylsiloxy)-1,3-butadiene; 1-undecene; vinyl
70 acetate; vinyl acetic acid; 4-vinyl anisole; 9-vinyl anthracene; vinyl behenate; vinyl
71 benzoate; vinyl benzyl acetate; vinyl benzyl alcohol; 3-vinyl benzyl chloride; 3-(vinyl

72 benzyl)-2-chloroethyl sulfone; 4-(vinyl benzyl)-2-chloroethyl sulfone; N -(p-vinyl
73 benzyl)-N,N'-dimethyl amine; 4-vinyl biphenyl (4-phenyl styrene); vinyl bromide; 2-vinyl
74 butane; vinyl butyl ether; 9-vinyl carbazole; vinyl carbinol; vinyl cetyl ether; vinyl
75 chloroacetate; vinyl chloroformate; vinyl crotonate; vinyl cyclohexane; 4-vinyl-1-
76 cyclohexene; 4-vinylcyclohexene dioxide; vinyl cyclopentene; vinyl dimethylchlorosilane;
77 vinyl dimethylethoxysilane; vinyl diphenylphosphine; vinyl 2-ethyl hexanoate; vinyl
78 2-ethylhexyl ether; vinyl ether ketone; vinyl ethylene; vinyl ethylene iron tricarbonyl;
79 vinyl ferrocene; vinyl formate; vinyl hexadecyl ether; vinylidene fluoride; 1-vinyl
80 imidazole; vinyl iodide; vinyl laurate; vinyl magnesium bromide; vinyl mesitylene; vinyl
81 2-methoxy ethyl ether; vinyl methyl dichlorosilane; vinyl methyl ether; vinyl methyl
82 ketone; 2-vinyl naphthalene; 5-vinyl-2-norbornene; vinyl pelargonate; vinyl phenyl
83 acetate; vinyl phosphonic acid, bis(2-chloroethyl)ester; vinyl propionate; 4-vinyl pyridine;
84 2-vinyl pyridine; 1-vinyl-2-pyrrolidinone; 2-vinyl quinoline; 1-vinyl silatrane; vinyl
85 sulfone; vinyl sulfonic acid sodium salt; o-vinyl toluene; p-vinyl toluene; vinyl
86 triacetoxysilane; vinyl tributyl tin; vinyl trichloride; vinyl trichlorosilane; vinyl
87 trichlorosilane (trichlorovinylsilane); vinyl triethoxysilane; vinyl triethylsilane; vinyl
88 trifluoroacetate; vinyl trimethoxy silane; vinyl trimethyl nonylether; vinyl trimethyl silane;
89 vinyl triphenylphosphonium bromide (triphenyl vinyl phosphonium bromide); vinyl tris-(2-
90 methoxyethoxy) silane, vinyl 2-valerate, 1-(3-butenyl)-4-vinylbenzene and mixtures
91 thereof.

1 33. The polymer of claim 23, wherein the polymer is a block copolymer.

1 34. A molecularly imprinted polymer obtained by the steps of (a) providing a
2 reaction product of (i) a complex comprising a compound of the general formula L_3M
3 wherein L is the same or different and is a β -diketone ligand containing the same or
4 different chain transfer moiety and M is a lanthanide element and (ii) a target analyte; (b)
5 copolymerizing the reaction product of step (a) with monomer and optional crosslinking
6 agent to form a polymer; and (c) removing the target analyte from the polymer to provide
7 a molecularly imprinted polymer which selectively binds to the target analyte and
8 undergoes a detectable luminescence change when the target analyte binds thereto. .

1 35. The molecularly imprinted polymer of claim 34, wherein the ligands L_3 are
2 each the same ligand.

1 36. The molecularly imprinted polymer of claim 34, wherein the β -diketone
2 ligands have the structure:



3
4 wherein R^1 is a hydrocarbon group having 1 to about 20 carbons containing a chain
5 transfer moiety; R^2 can be the same or different and is hydrogen or a hydrocarbon group
6 having from 1 to about 12 carbon atoms and R^3 is a straight or branched chain alkyl group
7 of 1 to about 12 carbon atoms optionally containing one or more halogen atoms.

1 37. The molecularly imprinted polymer of claim 36, wherein R^3 is an alkyl halide.

1 38. The molecularly imprinted polymer of claim 37, wherein the alkyl halide is –
2 CF_3 .

1 39. The molecularly imprinted polymer of claim 34, wherein the chain transfer
2 moiety is selected from the group consisting of dithiocarboxylic ester, trithiocarbonate and
3 benzyl iodide.

1 40. The molecularly imprinted polymer of claim 34, wherein the lanthanide
2 element M is europium and the chain transfer moiety is a dithiocarboxylic ester of the
3 general formula $-S-C(S)R$ wherein R is a hydrocarbon group having from 1 to about 20
4 carbon.

1 41. The molecularly imprinted polymer of claim 34, wherein the analyte is an
2 organophosphorus compound.

42. The molecularly imprinted polymer of claim 41, wherein the organophosphorus compound is selected from the group consisting of dimethyl hydrogen phosphate and pinacolyl methyl phosphonate.

43. The molecularly imprinted polymer of claim 34, wherein each ligand L is a fluorinated β -diketone having the structure:



wherein R^1 is a hydrocarbon group which includes as the chain transfer moiety a moiety selected from the group consisting of dithiocarboxylic ester, trithiocarbonate and benzyl iodide and the lanthanide element M is europium.

44. The molecularly imprinted polymer of claim 34, wherein monomer is selected from the group consisting of acrylic acid, methacrylic acid, alkyl methacrylates, alkyl acrylates, allyl acrylates, allyl methacrylates, aryl acrylates, aryl methacrylates, cyanoacrylate, styrene, -methyl styrene, vinyl acetate, vinyl chloride, methyl vinyl ketone, vinylidene chloride, acrylamide, methacrylamide, acrylonitrile, methacrylonitrile, 2-acetamido acrylic acid; 2-(acetoxycetoxy)ethyl methacrylate 1-acetoxy-1,3-butadiene; 2-acetoxy-3-butenenitrile; 4-acetoxystyrene; acrolein; acrolein diethyl acetal; acrolein dimethyl acetal; acrylamide; 2-acrylamidoglycolic acid; 2-acrylamido-2-methyl propane sulfonic acid; acrylic acid; acrylic anhydride; acrylonitrile; acryloyl chloride; (R)-acryloxy-, -dimethyl-g-butyrolactone; N-acryloxy succinimide – acryloxytris(hydroxymethyl) aminomethane; N-acryloyl chloride; N-acryloyl pyrrolidinone; N-acryloyl-tris(hydroxymethyl)amino methane; 2-amino ethyl methacrylate; N-(3-aminopropyl)methacrylamide; (o, m, or p)-amino-styrene; t-amyl methacrylate; 2-(1-aziridinyl)ethyl methacrylate; 4-benzyloxy-3-methoxystyrene; 2-bromoacrylic acid; 4-bromo-1-butene; 3-bromo-3,3-difluoropropane; 6-bromo-1-hexene; 3-bromo-2-methacrylonitrile; 2-(bromomethyl)acrylic acid; 8-bromo-1-octene; 5-bromo-1-pentene; cis-1-bromo-1-propene; -bromostyrene; p-bromostyrene; bromotrifluoro ethylene; (\pm)-3-buten-2-ol; 1,3-butadiene; 1,3-butadiene-1,4-dicarboxylic acid 3-butenal diethyl acetal; 1-butene; 3-buten-2-ol; 3-butenyl chloroformate; 2-butylacrolein; -t-butylacrylamide; butyl acrylate; butyl methacrylate; (o,m,p)-bromostyrene; t-butyl

21 acrylate; (R)-carvone; (S)-carvone; (-)-carvyl acetate; cis 3-chloroacrylic acid; 2-
22 chloroacrylonitrile; 2-chloroethyl vinyl ether; 2-chloromethyl-3-trimethylsilyl-1-propene;
23 3-chloro-1-butene; 3-chloro-2-chloromethyl-1-propene; 3-chloro-2-methyl propene; 2,2-
24 bis(4-chlorophenyl)-1,1-dichloroethylene; 3-chloro-1-phenyl-1-propene; m-chlorostyrene;
25 o-chlorostyrene; p-chlorostyrene; 1-cyanovinyl acetate; 1-cyclopropyl-1-
26 (trimethylsiloxy)ethylene; 2,3-dichloro-1-propene; 2,6-dichlorostyrene; 1,3-
27 dichloropropene; 2,4-diethyl-2,6-heptadienal; 1,9-decadiene; 1-decene; 1,2-
28 dibromoethylene; 1,1-dichloro-2,2-difluoroethylene; 1,1-dichloropropene; 2,6-
29 difluorostyrene; dihydrocarveol; (\pm)-dihydrocarvone; (-)-dihydrocarvyl acetate; 3,3-
30 dimethylacrylaldehyde; N,N'-dimethylacrylamide; 3,3-dimethylacrylic acid; 3,3-
31 dimethylacryloyl chloride; 2,3-dimethyl-1-butene; 3,3-dimethyl-1-butene; 2-dimethyl
32 aminoethyl methacrylate; 2,4-dimethyl-2,6-heptadien-1-ol; 2,4-dimethyl-2,6-heptadienal;
33 2,5-dimethyl-1,5-hexadiene; 2,4-dimethyl-1,3-pentadiene; 2,2-dimethyl-4-pentenal; 2,4-
34 dimethylstyrene; 2,5-dimethylstyrene; 3,4-dimethylstyrene; 1-dodecene; 3,4-epoxy-1-
35 butene; 2-ethyl acrolein; ethyl acrylate; 2-ethyl-1-butene; (\pm)-2-ethylhexyl acrylate; (\pm)-2-
36 ethylhexyl methacrylate; 2-ethyl-2-(hydroxymethyl)-1,3-propanediol triacrylate; 2-ethyl-
37 2-(hydroxymethyl)-1,3-propanediol trimethacrylate; ethyl methacrylate; ethyl vinyl ether;
38 ethyl vinyl ketone; ethyl vinyl sulfone; (1-ethylvinyl)tributyl tin; m-fluorostyrene; o-
39 fluorostyrene; p-fluorostyrene; glycol methacrylate (hydroxyethyl methacrylate); GA
40 GMA; 1,6-heptadiene; 1,6-heptadienoic acid; 1,6-heptadien-4-ol; 1-heptene; 1-hexen-3-ol;
41 1-hexene; hexafluoropropene; 1,6-hexanediol diacrylate; 1-hexadecene; 1,5-hexadien-3,4-
42 diol; 1,4-hexadiene; 1,5-hexadien-3-ol; 1,3,5-hexatriene; 5-hexen-1,2-diol; 5-hexen-1-ol;
43 hydroxypropyl acrylate; 3-hydroxy-3,7,11-trimethyl-1,6,10-dodecatriene; isoamyl
44 methacrylate; isobutyl methacrylate; isoprene; 2-isopropenylaniline; isopropenyl
45 chloroformate; 4,4'-isopropylidene dimethacrylate; 3-isopropyl-a-a-dimethylbenzene
46 isocyanate; isopulegol; itaconic acid; itaconalyl chloride; (\pm)-linalool; linalyl acetate; p-
47 mentha-1,8-diene; p-mentha-6,8-dien-2-ol; methyleneamino acetonitrile; methacrolein; [3-
48 (methacryloylamino)-propyl]trimethylammonium chloride; methacrylamide; methacrylic
49 acid; methacrylic anhydride; methacrylonitrile; methacryloyl chloride; 2-
50 (methacryloyloxy)ethyl acetoacetate; (3-methacryloxypropyl) trimethoxy silane; 2-
51 (methacryloxy)ethyl trimethyl ammonium methylsulfate; 2-methoxy propene (isopropenyl

52 methyl ether); methyl-2-(bromomethyl)acrylate; 5-methyl-5-hexen-2-one; methyl
53 methacrylate; N,N'-methylene bisacrylamide; 2-methylene glutaronitrite; 2-methylene-1,3-
54 propanediol; 3-methyl-1,2-butadiene; 2-methyl-1-butene; 3-methyl-1-butene; 3-methyl-1-
55 buten-1-ol; 2-methyl-1-buten-3-yne; 2-methyl-1,5-heptadiene; 2-methyl-1-heptene; 2-
56 methyl-1-hexene; 3-methyl-1,3-pentadiene; 2-methyl-1,4-pentadiene; (±)-3-methyl-1-
57 pentene; (±)-4-methyl-1-pentene; (±)-3-methyl-1-penten-3-ol; 2-methyl-1-pentene; -
58 methyl styrene; t--methylstyrene; t--methylstyrene; 3-methylstyrene; methyl vinyl ether;
59 methyl vinyl ketone; methyl-2-vinyloxirane; 4-methylstyrene; methyl vinyl sulfone; 4-
60 methyl-5-vinylthiazole; myrcene; t--nitrostyrene; 3-nitrostyrene; 1-nonadecene; 1,8-
61 nonadiene; 1-octadecene; 1,7-octadiene; 7-octene-1,2-diol; 1-octene; 1-octen-3-ol; 1-
62 pentadecene; 1-pentene; 1-penten-3-ol; t-2,4-pentenoic acid; 1,3-pentadiene;
63 1,4-pentadiene; 1,4-pentadien-3-ol; 4-penten-1-ol; 4-penten-2-ol; 4-phenyl-1-butene;
64 phenyl vinyl sulfide; phenyl vinyl sulfonate; 2-propene-1-sulfonic acid sodium salt;
65 phenyl vinyl sulfoxide; 1-phenyl-1-(trimethylsiloxy)ethylene; propene; saffrole; styrene
66 (vinyl benzene); 4-styrene sulfonic acid sodium salt; styrene sulfonyl chloride;
67 3-sulfopropyl acrylate potassium salt; 3-sulfopropyl methacrylate sodium salt;
68 tetrachloroethylene; tetracyano ethylene; trans 3-chloroacrylic acid; 2-trifluoromethyl
69 propene; 2-(trifluoromethyl)propenoic acid; 2,4,4'-trimethyl-1-pentene; 3,5-
70 bis(trifluoromethyl)styrene; 2,3-bis(trimethylsiloxy)-1,3-butadiene; 1-undecene; vinyl
71 acetate; vinyl acetic acid; 4-vinyl anisole; 9-vinyl anthracene; vinyl behenate; vinyl
72 benzoate; vinyl benzyl acetate; vinyl benzyl alcohol; 3-vinyl benzyl chloride; 3-(vinyl
73 benzyl)-2-chloroethyl sulfone; 4-(vinyl benzyl)-2-chloroethyl sulfone; N-(p-vinyl
74 benzyl)-N,N'-dimethyl amine; 4-vinyl biphenyl (4-phenyl styrene); vinyl bromide; 2-vinyl
75 butane; vinyl butyl ether; 9-vinyl carbazole; vinyl carbinol; vinyl cetyl ether; vinyl
76 chloroacetate; vinyl chloroformate; vinyl crotonate; vinyl cyclohexane; 4-vinyl-1-
77 cyclohexene; 4-vinylcyclohexene dioxide; vinyl cyclopentene; vinyl dimethylchlorosilane;
78 vinyl dimethylethoxysilane; vinyl diphenylphosphine; vinyl 2-ethyl hexanoate; vinyl
79 2-ethylhexyl ether; vinyl ether ketone; vinyl ethylene; vinyl ethylene iron tricarbonyl;
80 vinyl ferrocene; vinyl formate; vinyl hexadecyl ether; vinylidene fluoride; 1-vinyl
81 imidazole; vinyl iodide; vinyl laurate; vinyl magnesium bromide; vinyl mesitylene; vinyl
82 2-methoxy ethyl ether; vinyl methyl dichlorosilane; vinyl methyl ether; vinyl methyl

83 ketone; 2-vinyl naphthalene; 5-vinyl-2-norbornene; vinyl pelargonate; vinyl phenyl
84 acetate; vinyl phosphonic acid, bis(2-chloroethyl)ester; vinyl propionate; 4-vinyl pyridine;
85 2-vinyl pyridine; 1-vinyl-2-pyrrolidinone; 2-vinyl quinoline; 1-vinyl silatrane; vinyl
86 sulfone; vinyl sulfonic acid sodium salt; o-vinyl toluene; p-vinyl toluene; vinyl
87 triacetoxysilane; vinyl tributyl tin; vinyl trichloride; vinyl trichlorosilane; vinyl
88 trichlorosilane (trichlorovinylsilane); vinyl triethoxysilane; vinyl triethylsilane; vinyl
89 trifluoroacetate; vinyl trimethoxy silane; vinyl trimethyl nonylether; vinyl trimethyl silane;
90 vinyl triphenylphosphonium bromide (triphenyl vinyl phosphonium bromide); vinyl tris-(2-
91 methoxyethoxy) silane, vinyl 2-valerate, 1-(3-butenyl)-4-vinylbenzene and mixtures
92 thereof.

1 45. The molecularly imprinted polymer of claim 34, wherein the polymer is a
2 block copolymer.